

LaserJet Enterprise MFP M725 series M725dn • M725f • M725z • M725z+

Enable large-volume printing on a wide range of paper sizes—up to Ledger/A3—with a 4,600-sheet maximum input capacity.² Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.

Print speed:12 Up to 40 ppm black (letter)

Print resolution: Up to 1200 x 1200 dpi black (best)

Scan resolution: Up to 600 x 600 dpi hardware, Up to 600 dpi Optical

Standard connectivity: 2 Hi-Speed USB 2.0 Host, 1 Hi-Speed USB 2.0 Device, 1 Gigabit Ethernet 10/100/1000T network, 1 Foreign Interface, 1 Hardware Integration Pocket, 2 Internal USB Host

Duplex print options: Automatic (standard)

Mobile printing capability: HP ePrint, Apple AirPrint™



(HP LaserJet Enterprise MFP M725dn shown)



HP LaserJet Enterprise
MFP M725f

Expand your options with sharp Ledger/A3 printing

- Empower your teams to do more—print, scan, copy, and fax¹ on paper sizes up to Ledger/A3—from a desktop-sized MFP.
- Stay focused on work—paper capacity up to 4,600 sheets and high-capacity cartridges limit interruptions.^{2,4}
- Get impressive document quality with near edge-to-edge printing and a convenient, built-in stapler.⁵
- Print what you need, even on the go—from your smartphone or tablet—using HP ePrint³ or Apple AirPrint™.⁶

Quicken your business pace

- Streamline tasks—print, scan, copy, and fax¹ projects directly at the MFP's large color touchscreen.
- Save time by launching one-touch workflows with HP Quick Sets.
- Get just the results you need—using touchscreen controls to preview, edit, and reorder scans at the device.
- Easily send scanned files to a fax, folder, email, or USB.
 Print right from a memory device via the USB port.

Manage and protect your fleet for the long run

- Simplify fleet management using world-class tools such as HP Web Jetadmin,⁷ and reliably safeguard devices.
- Safeguard data—at rest or in transit—with an encrypted hard drive, user authentication, and security features.
- Add security tools—such as card and badge readers via the hardware integration pocket.⁸
- Extend the capabilities of workteam print environments, using a rich array of easy-to-integrate solutions.

Help save energy and reduce environmental impact

- Reduce energy use with HP Auto-On/Auto-Off Technology,⁹ and conserve power with Instant-on Technology.¹⁰
- Conserve resources and save paper—use automatic two-sided printing.
- Easily recycle Original HP LaserJet toner cartridges through HP Planet Partners.¹¹

HP EcoSolutions

- Reduce energy use with Instant-on Technology.¹
- Reduce paper use by up to 50%, using automatic two-sided printing.
- Reduce waste—scan, store, and distribute documents digitally.

Join HP in more sustainable printing hp.com/ecosolutions



¹ Compared with products that use traditional fusing



HP LaserJet Enterprise

MFP M725z

HP LaserJet Enterprise MFP M725z+

¹ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn. ² Maximum paper capacity of 4,600 sheets requires the purchase of optional paper tray accessories. ³ Requires an Internet connection to HP web-enabled printer and HP ePrint accounts registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see hpconnected.com). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades. ⁴ High-capacity cartridges are optional for the HP LaserJet Enterprise 200 MFP Series M725. ⁵ In-line stapler is not available on the HP LaserJet Enterprise MFP M725dn or M725f. ⁵ Supports the following devices running iOS 4.2 or later: iPad⁶, iPad⁶ 2, iPhone⁶ (3G Sor later), iPod touch⁶ (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple⁶ inc., registered in the U.S. and other countries. ⁷ HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin. ⁶ Solutions deployed throad begloyed throad be

HP LaserJet Enterprise MFP M725 series

- 1 100-sheet automatic document feeder
- 2 Intuitive 8-inch pivoting color touchscreen control panel with FutureSmart firmware and scan preview
- 3 Hardware integration pocket (HIP) for solution integration
- 4 Easy-access USB port to save and print files directly
- 5 In-line stapler with 500-sheet output bin
- 6 Built-in automatic two-sided printing
- 7 Two 250-sheet input trays, one supporting up to legal and one supporting up to ledger/A3
- 8 3,500-sheet high-capacity feeder and stand for a 4,100-sheet total input capacity
- 9 250-sheet output bin
- 10 Side door allows convenient access to the all-in-one HP print cartridge
- 11 100-sheet multipurpose tray 1 supports a wide variety of paper sizes and types
- 12 800 MHz processor, 1 GB standard memory
- 13 Two internal USB Host ports (for connecting third-party devices)
- 14 HP High-Performance Secure Hard Disk
- 15 Fax port
- 16 Foreign Interface port
- 17 HP Jetdirect Gigabit Ethernet print server
- 18 Hi-Speed USB 2.0 device port
- 19 Hi-Speed USB 2.0 Host port

HP LaserJet Enterprise MFP M725z+ printer shown



Series at a glance









	M725dn MFP	M725f MFP	M725z MFP	M725z+ MFP
Part number	CF066A	CF067A	CF068A	CF069A
Gigabit Ethernet networking	✓	✓	✓	✓
Automatic two-sided printing	✓	✓	✓	✓
100-sheet multipurpose tray 1	✓	✓	✓	✓
2 x 250-sheet trays 2 and 3	✓	✓	✓	1
500-sheet tray¹	Optional	✓	Not available	Optional
500-sheet feeder with cabinet and stand¹	Optional	✓	Not available	Not available
3 x 500-sheet feeder and stand¹	Optional	Not available	✓	Not available
3,500-sheet high-capacity feeder and stand ¹	Optional	Not available	Not available	✓
500-sheet in-line stapler	Not available	Not available	✓	✓
HP High-Performance Secure Hard Disk	✓	✓	✓	✓
Fax	Optional	✓	✓	✓
ENERGY STAR® qualified	✓	✓	✓	/

¹ Up to 6 input trays are supported on the M725dn and M725z+ models, including the multipurpose tray and the standard 2 x 250-sheet trays. (The 3 x 500-sheet trays and stand counts for 3 trays; the 3,500-sheet HCI feeder and stand counts for 2 trays.) The 500-sheet tray is not stackable.

Top features

Get precise document finishing, one-touch workflows, and many scan-to options on a versatile Ledger/A3 MFP. Do more—with document sizes up to Ledger/A3, and high-capacity cartridges³ and paper trays. Print nearly to the page's edge, and even staple (Only on Z and Z+ models). Copy, scan, and fax¹—and print from smartphones and tablets from virtually anywhere with HP ePrint.²

Set a swift pace—use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets. Preview and control jobs on the 8-inch color touchscreen. Scan to multiple locations, and print via an easy-access USB port.

Monitor your devices with industry-leading tools, including HP Web Jetadmin.⁴ Help protect data both in transit and at rest. Enhance security with PIN printing. Add safeguards via the hardware integration pocket. Integrate tomorrow's solutions with ease.

Help conserve resources and meet corporate environmental goals. HP Auto-On/Auto-Off Technology helps reduce energy use. Easily manage printing policies with HP EcoSMART Fleet. Save paper, using automatic two-sided printing.

Get the most out of your printer with HP accessories, supplies, and services.

HP services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service: Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Printers

HP LaserJet Enterprise 700 MFP M725dn	CF066A
HP LaserJet Enterprise 700 MFP M725f	CF067A
HP LaserJet Enterprise 700 MFP M725z	CF068A
HP LaserJet Enterprise 700 MFP M725z+	CF069A

Toner Cartridges

HP 14A Black LaserJet Toner Cartridge (10,000 pages)	CF214A
HP 14X Black LaserJet Toner Cartridge (17,500 pages)	CF214X

Accessories

500-sheet feeder and tray assembly	CF239A
1x500-sheet feeder, cabinet, and stand	CF243A
3x500-sheet feeder and stand	CF242A
3,500-sheet HCl and stand	CF245A
110v Maintenance/Fuser Kit	CF249A
220v Maintenance/Fuser Kit	CF254A
HP 200-pin DDR2 512MBx64 DIMM	CF306A
HP staple cartridge refill	C8091A
HP LaserJet MFP Analog Fax Accessory 500	CC487A
ADF Roller kit	L2718A

HP Care Pack	
HP 3 year Next business day + Defective Media retention LaserJet M72	5 U7A14E
Multifunction printer Support	
HP 4 year Next business day + Defective Media retention LaserJet M72	5 U7A15E
Multifunction printer Support	
HP 5 year Next business day + Defective Media retention LaserJet M72	5 U7A16E
Multifunction printer Support	
HP 3 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Su	• •
HP 4 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Su	• •
HP 5 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Su	
HP 1 year Post Warranty Next business day + Defective Media retention	n U7Y76PE
Laserjet M725 Multifunction printer Support	
HP 1 year Post Warranty 4 hour 9x5 Laserjet M725 Multifunction printe	er U7Y74PE

To know what HP Care Pack services exist for your product, please visit Care Pack Central at hp.com/go/cpc

Paper

Support

hp.com/go/paper

Software

HP Web Jetadmin: hp.com/go/wja
HP Universal Print Driver: hp.com/go/upd

¹ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn. ² Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see hpconnected.com). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades. ³ High-capacity cartridges are optional for the HP LaserJet Enterprise 700 MFP Series M725. ⁴ HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin. ⁵ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade. ⁴ HP EcoSMART Fleet must be purchased separately.

HP LaserJet Enterprise MFP M725 series

	HP LaserJet Enterprise 700 MFP M725dn (CF066A)	HP LaserJet Enterprise 700 MFP M725f (CF067A)	HP LaserJet Enterprise 700 MFP M725z (CF068A)	HP LaserJet Enterprise 700 MFP M725z+ (CF069A)
AIO functions	Print, copy, scan	(C. Corrig	Print, copy, scan, fax	(4. 55)
Print				
Duplex print options			c (standard)	
Print speed ¹		Up to 40 ppm (Black, letter); F	irst page out²: As fast as 10 sec	
Print technology		Li	aser	
Print resolution	Black (best): Up to 12	00 x 1200 dpi; Black (normal): HP FastRes 1200 (1	200 dpi quality), 600 x 600 dpi with HP Reso	lution Enhancement technology
Printer Smart Software	HD oPrint Apple Air	Print, Open Extensibility Platform, FutureSmart Firm	nware HP Auto-On/Auto-Off technology Fa	SV Access USB Image Provious
features	пе егіпі, арріе ап	rint, open extensionity Flationii, Futuresinant Fin	ilware, HF Auto-Oli/Auto-Oli technology, Ea	sy Access 03b, illiage Fleview
Mobile printing capability		HP ePrint; i	Apple AirPrint	
Standard print languages		HP PCL 6; HP PCL 5e; HP posts	script level 3 emulation; PDF 1.4	
Scan				
Scan type/technology		Flatbed, ADF; Technology:	Charge Coupled Device (CCD)	
Scan speed ³		Letter: Up to 49 ppm (black a	and white), up to 30 ppm (color)	
Scan resolution		Hardware: Up to 600 x 60	0 dpi; Optical: Up to 600 dpi	
Scan file format		PDF, JPEG, TIFF,	MTIFF, XPS, PDF/A	
Scan input modes	Copy, scan to	e-mail, scan to network folder, scan to USB, save to	device memory, fax, Open Extensibility Plat	form (OXP) applications
Scan size maximum		ADF, Flatbed: 11 x	17 in (297 x 420 mm)	
Scanner advanced features	Optimize text/picture; Image adjustments; .		solution 75 to 600 dpi; Auto detect color; Ec ; HP Quick Sets	ge erase; Auto tone; Auto job notification; Blank page
Bit depth/Grayscale levels			it/256	
Copy		2.0		
Copy speed ⁴		Up to 40 con	n (Black, letter)	
Copy resolution			phics): 600 x 600 dpi	
Max number of copies			999 copies	
Copier reduce/enlarge			0 400%	
Copier settings	Sides: Collate: Paner Selection: Reduce	Enlarge; Image Adjustment; Content Orientation; F		ge: Ontimize Text/Picture: Original Size: Joh Build
Digital Sending Standard	·			
features	Scan to e-mail; Save-	to-Network Folder; Save-to-USB drive; Send to FTP	; Send to LAN Fax; Send to Internet Fax; Loc	al Address Book; SMTP over SSL
Fax				
Transmission speed ⁵	Not Applicable		Up to 33.6 kbps; 3 sec per page	
·	•	Black (best): Up to 300 x 300 dpi (400 x 400		d): 204 x 98 dpi; Black and White (fine): 204 x 196 dpi,
Fax resolution	Not Applicable		ack Photo Grayscale: 300 x 300 dpi (400 x	
Fax smart software			•	
features	Not Applicable	Stored faxes; fax archiving; fax forwarding	; scale-to-fit; fax address book; LAN/Interne	t fax; fax number confirmation; Holiday fax schedule
Fax memory	Not Applicable		Up to 100 pages	
	μ,	Auto Fax Reduction Supported: Yes; Auto-Re		inctive Ring Detection Supported: No; Fax Forwarding
Fax features	Not Applicable	Supported: Yes; Fax Phone TAM Interface Support		to receive only); Junk Barrier Supported: Yes; PC Interfa
		Supporteur res, r		
Connectivity				
Connectivity Standard connectivity	2 Hi-Speed USR 2 0 Host: 1 Hi-S	need USR 2.0 Device: 1 Gigabit Ethernet 10/100/10	IOOT network: 1 Foreign Interface: 1 Hardwa	re Integration Pocket: 2 Internal IISB Host
Standard connectivity		peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10		
		r (standard) supports: 10Base-T, 100Base-Tx, 1000	Base-T; 802.3az (EEE) support on Fast Ethe	
Standard connectivity Network capabilities		r (standard) supports: 10Base-T, 100Base-Tx, 100C networkii	Base-T; 802.3az (EEE) support on Fast Etheng (optional)	
Standard connectivity Network capabilities Wireless capability	Via HP Jetdirect Ethernet embedded print serve	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkii	Base-T; 802.3az (EEE) support on Fast Ethe ng (optional) :hase of a hardware accessory	
Standard connectivity Network capabilities Wireless capability Modem		r (standard) supports: 10Base-T, 100Base-Tx, 100C networkii Optional, enabled with purd	Base-T; 802.3az (EEE) support on Fast Ethe ng (optional) chase of a hardware accessory 33.6kbps	
Standard connectivity Network capabilities Wireless capability Modem Memory	Via HP Jetdirect Ethernet embedded print serve	r (standard) supports: 10Base-T, 100Base-Tx, 100C networki Optional, enabled with pur	Base-T; 802.3az (EEE) support on Fast Ethe 1g (optional) chase of a hardware accessory 33.6 kbps GB	
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed	Via HP Jetdirect Ethernet embedded print serve	r (standard) supports: 10Base-T, 100Base-Tx, 100C networki Optional, enabled with pure 1 80	Base-T; 802.3az (EEE) support on Fast Ethe ng (optional) chase of a hardware accessory 33.6 kbps GB 0 MHz	
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁴	Via HP Jetdirect Ethernet embedded print serve	r (standard) supports: 10Base-T, 100Base-Tx, 100C networki Optional, enabled with purc 80 Up to 20C	Base-T; 802.3az (EEE) support on Fast Ethe 19 (optional) chase of a hardware accessory 33.6 kbps GB D MHz D,000 pages	
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume	Via HP Jetdirect Ethernet embedded print serve	r (standard) supports: 10Base-T, 100Base-Tx, 100C networki Optional, enabled with purc 80 Up to 20C	Base-T; 802.3az (EEE) support on Fast Ethe ng (optional) chase of a hardware accessory 33.6 kbps GB 0 MHz	
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing	Via HP Jetdirect Ethernet embedded print serve Not Applicable	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkii Optional, enabled with purs 1 80 Up to 200 Up to 5000 t	Base-T; 802.3az (EEE) support on Fast Ethe 19 (optional) :hase of a hardware accessory 33.6 kbps GB 0 MHz 0,000 pages 0 20,000 pages	rnet and Gig Links; IPsec (standard); 802.11b/g/n wireles
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type	Via HP Jetdirect Ethernet embedded print serve Not Applicable	r (standard) supports: 10Base-T, 100Base-Tx, 100C networki Optional, enabled with pure 1 80i Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, ro	Base-T; 802.3az (EEE) support on Fast Ethe ng (optional) chase of a hardware accessory 33.6 kbps GB D MHz 0,000 pages 0 20,000 pages ough, tough paper), bond, cardstock, envelo	rnet and Gig Links; IPsec (standard); 802.11b/g/n wireles
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight	Via HP Jetdirect Ethernet embedded print serve Not Applicable	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkin Optional, enabled with pure 1 1 10 10 10 10 10 10 10 10 10 10 10 10	Base-T; 802.3az (EEE) support on Fast Ethe ng (optional) thase of a hardware accessory 33.6 kbps GB 0 MHz 0,000 pages 0 20,000 pages ough, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²)	rnet and Gig Links; IPsec (standard); 802.11b/g/n wireles
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Puty cycle (monthly, A4) ^e Recom monthly page volume Paper handing Media type Media weight Custom media sizes	Via HP Jetdirect Ethernet embedded print serve Not Applicable	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkin Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ud, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t	Base-T; 802.3az (EEE) support on Fast Ethe g (optional):	rnet and Gig Links; IPsec (standard); 802.11b/g/n wireles
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkii Optional, enabled with pure 1 800 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t Standard	Base-T; 802.3az (EEE) support on Fast Ethe g (optional) chase of a hardware accessory	rnet and Gig Links; IPsec (standard); 802.11b/g/n wireles pe, labels, transparency, vellum x 17 in
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm)	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkin Optional, enabled with pure Optional, enabled with pure Up to 200 Up to 5000 t Up to 5000 t Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm);	Base-T; 802.3az (EEE) support on Fast Ethe g (optional) thase of a hardware accessory 33.6 kbps 6B 0 MHz 0,000 pages 0 20,000 pages ough, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 0 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 100 sheets	rnet and Gig Links; IPsec (standard); 802.11b/g/n wireles be, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm);
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H)	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm)	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkin Optional, enabled with pure 1 800 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t 5tandard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm)	Base-T; 802.3az (EEE) support on Fast Ethe g (optional) chase of a hardware accessory 33.6 kbps 68 0 MHz 0,000 pages 0 20,000 pages o 20,000 pages o ugh, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²) o 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.	oe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H)	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg)	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkin Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm) 192.3 lb (87.1 kg)	Base-T; 802.3az (EEE) support on Fast Ethe g (optional) thase of a hardware accessory 33.6 kbps GB 0 MHz 0,000 pages 0 20,000 pages 0 20,000 pages 0 ugh, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 0 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40. 206.3 lb (92.35 kg)	pe, labels, transparency, vellum x 17 in 46.9 in (745 × 681 × 1192 mm); 5 × 46.9 in (917 × 1032 × 1192 mm) 225.8 lb (102.42 kg)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁵ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg)	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkin Optional, enabled with pure Optional, enabled with pure 10	Base-T; 802.3az (EEE) support on Fast Ethe g (optional) thase of a hardware accessory 33.6 kbps 6B 0 MHz 0,000 pages 020,000 pages 040,000 pages 040,000 pages 041,7 x 14.3 in; Trays 3-6 : 5.8 x 8.3 to 11.7 1,100 sheets 29.3 x 26.8 x Max : 36.1 x 40. 206.3 lb (92.35 kg) 4ardware Installation Guide, Support flyer, V	oe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handling Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁶	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg)	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 1 Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm) 192.3 lb (87.1 kg) HP Black Laser Jet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & N	Base-T; 802.3az (EEE) support on Fast Ethe g (optional) thase of a hardware accessory	pe, labels, transparency, vellum x 17 in 46.9 in (745 × 681 × 1192 mm); 5 × 46.9 in (917 × 1032 × 1192 mm) 225.8 lb (102.42 kg)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP LaserJet Enterprise MFP M725;	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm) 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & N One-year or	Base-T; 802.3az (EEE) support on Fast Ethe g (optional) thase of a hardware accessory	net and Gig Links; IPsec (standard); 802.11b/g/n wireles be, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) //arranty guide; Printer documentation and software on
Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Duty cycle (monthly, A4) ^c Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^c Warranty features Compatible operating	Not Applicable Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkin Optional, enabled with pure Optional, enabled with pure 10	Base-T; 802.3az (EEE) support on Fast Ethe g (optional) thase of a hardware accessory 33.6 kbps GB 0 MHz 0,000 pages o 20,000 pages ough, tough paper), bond, cardstock, envelo Trays 2-6 : 16 to 32 lb (60 to 120 g/m²) o 11.7 x 14.3 in; Trays 3-6 : 5.8 x 8.3 to 11.7, 100 sheets 29.3 x 26.8 x Max : 36.1 x 40. 206.3 lb (92.35 kg) 4172 52*: Same as above plus Telecom cable 1-10 the warranty Server 2008 (32 and 64-bit), Windows Server	trnet and Gig Links; IPsec (standard); 802.11b/g/n wireles be, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) //arranty guide; Printer documentation and software on
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handling Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁶	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm) 192.3 lb (87.1 kg) HP Black Laser Jet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & N One-year or ws XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows to	Base-T; 802.3az (EEE) support on Fast Ether	oe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) /arranty guide; Printer documentation and software on
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimersions (W x D x H) Weight What's in the box ⁶ Warranty features Compatible operating systems	Not Applicable Paper (color, letterhe Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, OS X Lion, OS X Mountain Lion; For the lates hp.com/go/Junkxmodelscripts, hp.com/go/Junkxmodelscri	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm) 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & N one-year or ws XP (SP2+), Windows Server 2003 (SP1+), Windows t operating system support see: Citrix and Windows T etdirectunix_software); SAP device types (hp.com	Base-T; 802.3az (EEE) support on Fast Ether (19 (optional)) thase of a hardware accessory 33.6 kbps GB D MHz 0,000 pages 0 20,000 pages 0 20,000 pages 0 20,000 pages 0 1.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7, 100 sheets 29.3 x 26.8 x Mai: 36.1 x 40. 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, V 1725z+: Same as above plus Telecom cable 1-site warranty Server 2008 (32 and 64-bit), Windows Server erminal Services (hp.com/go/upd); Novel(nor /go/sap/drivers, hp.com/go/sap/print); Hill	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) /arranty guide; Printer documentation and software on
Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁶ Warranty features Compatible operating systems Minimum system	Not Applicable Paper (color, letterhe Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, OS X Lion, OS X Mountain Lion; For the lates hp.com/go/Junkxmodelscripts, hp.com/go/Junkxmodelscri	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm) 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & N one-year or ws XP (SP2+), Windows Server 2003 (SP1+), Windows t operating system support see: Citrix and Windows T etdirectunix_software); SAP device types (hp.com	Base-T; 802.3az (EEE) support on Fast Ether (19 (optional)) Chase of a hardware accessory 33.6 kbps	treet and Gig Links; IPsec (standard); 802.11b/g/n wireless be, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) //arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix) e Perint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard of
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁶ Warranty features Compatible operating systems Minimum system	Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Windows 1, Win	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black Laser Jet Toner Cartridge (10,000 pages); l CD-ROM; Power cord. M725f, M7252 & N One-year or ws XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows to ows XP (SP2+), Windows Server 2003 (SP1+), Windows	Base-T; 802.3az (EEE) support on Fast Ether of (optional) thase of a hardware accessory	treet and Gig Links; IPsec (standard); 802.11b/g/n wireless be, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) //arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix) e Perint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard of
Standard connectivity Network capabilities Wireless capability Modem Memory Perocessor speed Duty cycle (monthly, A4) ⁴ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating system System Minimum system requirements	Not Applicable Paper (color, letterhe Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windon 10.6, OS X Lion, OS X Mountain Lion, For the labether, com/go/unkxmodelscripts, hp.com/go/Jet PC: Windows 8, Windows 7, Windows Vista, Windoms Wac: Mac OS X 10.6, OS X Lion, OS X Mountain Lion, For the labether, com/go/lethermodelscripts, hp.com/go/Jethermodelscripts, hp.com/go/Jethe	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkis Optional, enabled with pure Optional, enabled with pure 10 10 10 10 10 10 10 10 10 10 10 10 10	Base-T; 802.3az (EEE) support on Fast Ethe 19 (optional)	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) /arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell. com/lprint); Linux (hptip.net); UNIX (hp.com/go/printmobiledriver) Vell. com/lprintb; Linux (hptip.net); UNIX (hp.com/go/printmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard dim: ments, CD-ROM/DVD-ROM or Internet, see apple.com
Standard connectivity Network capabilities Wireless capability Modem Memory Perocessor speed Duty cycle (monthly, A4) ⁴ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating system System Minimum system requirements	Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/unixmodelscripts, hp.com/go/Unixmodelscri	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkis Optional, enabled with pure Optional, enabled with pure 10 10 10 10 10 10 10 10 10 10 10 10 10	Base-T; 802.3az (EEE) support on Fast Ether (19 (optional))	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) // Arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell. com/jprint); Linux (hplip.net); UNIX (hp.com/go/unix, 2 ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard di m: ments, CD-ROM/DVD-ROM or Internet, see apple.com iicode Fonts (Andale Mono WorldType); 2 Internal Window iicode Fonts (Andale Mono WorldType); 2 Internal Window
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁴ Recom monthly page volume Paper handling Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces	Not Applicable Paper (color, letterhe Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junkmodelscripts, hp.com/go/j PC: Windows 8a, Windows 7, Windows Vista, Windo Mac: Mac Wo X 10.6, 05 X Lion, 05 X Mountain Lior, For the lates hp.com/go/junkmodelscripts, hp.com/go/jun	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ud, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 1 Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm) 192.3 lb (87.1 kg) HP Black Laserlet Toner Cartridge (10,000 pages); l CD-ROM; Power cord. M725f, M725z & N One-year or ws XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows to operating system support see: Citrix and Windows to operating system support see: Citrix and Windows Server 2003 (SP1+), Windows 2004 (SP1	Base-T; 802.3az (EEE) support on Fast Ether g (optional) thase of a hardware accessory	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) // Arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell. com/jprint); Linux (hplip.net); UNIX (hp.com/go/unix, 2 ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard di m: ments, CD-ROM/DVD-ROM or Internet, see apple.com iicode Fonts (Andale Mono WorldType); 2 Internal Window iicode Fonts (Andale Mono WorldType); 2 Internal Window
Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Duty cycle (monthly, A4) ^s Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a Warranty features Compatible operating systems Minimum system equirements Fonts and Typefaces Control panel	Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Windo Mac: Mac 05 X 10.6, 05 X Lion, 05 X Mountain 105 internal TrueType fonts scalable in HP PC; Vista 8 Fonts (Calibri, Cambrial); addit 8.0-in (20.3 cm) color LCD with touchscree	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ud, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 1 Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm) 192.3 lb (87.1 kg) HP Black Laserlet Toner Cartridge (10,000 pages); l CD-ROM; Power cord. M725f, M725z & N One-year or ws XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows to operating system support see: Citrix and Windows to operating system support see: Citrix and Windows Server 2003 (SP1+), Windows 2004 (SP1	Base-T; 802.3az (EEE) support on Fast Ether of (optional) thase of a hardware accessory 33.6 kbps	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) /arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/lprint); Linux (hplip.net); UNIX (hp.com/go/unix) 2 ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard dim: ments, CD-ROM/DVD-ROM or Internet, see apple.com iicode Fonts (Andale Mono WorldType); 2 Internal Windo mulation available at hp.com/go/laserjetfonts ienul; Easy Access USB; Hardware Integration Pocket
Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Duty cycle (monthly, A4) ^s Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included	Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Windo Mac: Mac 05 X 10.6, 05 X Lion, 05 X Mountain 105 internal TrueType fonts scalable in HP PC; Vista 8 Fonts (Calibri, Cambrial); addit 8.0-in (20.3 cm) color LCD with touchscree	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 1 Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm) 192.3 lb (87.1 kg) HP Black Laserlet Toner Cartridge (10,000 pages); l CD-ROM; Power cord. M725f, M725z & N One-year or ws XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows Tedirectunix, software); SAP device types (hp.com inum: 1 GB available hard disk space; operating 3 to internal scalable fonts in HP Postscript level 3 en onal font solutions available wia third-party flash in n; rotating (adjustable angle) display; illuminated Her, HP PCL 6 discrete driver, Mac SW Link to Web, [P	Base-T; 802.3az (EEE) support on Fast Ether g (optional) thase of a hardware accessory 33.6 kbps GB 0 MHz 0,000 pages 0 20,000 pages 0 20,000 pages 0 20,000 pages 0 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 to 10.5 kg. 206.3 lb (92.35 kg) ardware Installation Guide, Support flyer, W 1725z+: Same as above plus Telecom cable 1-site warranty Server 2008 (32 and 64-bit), Windows Server erminal Services (Inp.com/go/sap/print); HI ows Server 2008 Rg are system requirements, see microsoft.co ystem compatible hardware system require nulation (Euro symbol built-in); 1 internal U lemory cards; HP LaserJet Fonts and IPDS Eome button (for quick return to the Home nostscript emulation driver & Installer on We	trinet and Gig Links; IPsec (standard); 802.11b/g/n wireless be, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) Arranty guide; Printer documentation and software on very guide; Printer (hp. com/go/eprintmobiledriver) very windows Server 2012 (64-bit); 200 MB available hard dim: ments, CD-ROM/DVD-ROM or Internet, see apple.com incode Fonts (Andale Mono WorldType); 2 Internal Windo mulation available at hp.com/go/laserjetfonts mulation available at hp.com/go/laserjetfonts nenu); Easy Access USB; Hardware Integration Pocket bb, Note: No Mac SW inbox
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁶ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included nvironmental ranges	Not Applicable Paper (color, letterhe Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 988 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junkxmodelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Windo Mac: Mac 05 X 10.6, 05 X Lion, 05 X Mountain 105 internal TrueType fonts scalable in HP PCL, 9 Vista 8 Fonts (Calibri, Cambria); addit 8.0-in (20.3 cm) color LCD with touchscree Windows Instal	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkis Optional, enabled with pure 10	Base-T; 802.3az (EEE) support on Fast Etheng (optional) hase of a hardware accessory 33.6 kbps GB D MHz D,000 pages Dugh, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 0 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40. 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, V17252+ Same as above plus Telecom cable—site warranty Server 2008 (32 and 64-bit), Windows Server erminal Services (hp.com/go/upd); Novell (nr go/sap/drivers, hp.com/go/sap/frivil) was Server 2008, Windows Server 2008 R2 are system crequire nulation (Euro symbol built-in); 1 internal Unemory cards; HP LaserJet Fonts and IPDS Eome button (for quick return to the Home nostscript emulation driver & Installer on Weure emissions bystander (active, printing):	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 27.5 alb (102.42 kg) Arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix vell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix imrems, CD-ROM/DVD-ROM or Internet, see apple.com micode Fonts (Andale Mono WorldType); 2 Internal Windo mulation available at hp.com/go/laserjetfonts enuv); Esay Access USB; Hardware Integration Pocket b], Note: No Mac SW inbox 54 dB(A)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included Invironmental ranges Operating humidity range:	Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the late hp.com/go/unkmodelscripts, hp.com/go/p PC: Windows 8, Windows 7, Windows Vista, Windo 10.6 in Mac: Mac 05 X 10.6, 05 X Lion, 05 X Mountain 105 internal TrueType fonts scalable in HP PCL, Vista 8 Fonts (Calibri, Cambria); addit 8.0-in (20.3 cm) color LCD with touchscree Windows Instal	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure Optional, enabled with pure Both Carlot Carlo	Base-T; 802.3az (EEE) support on Fast Ether g (optional) thase of a hardware accessory 33.6 kbps GB 0 MHz 0,000 pages 0 20,000 pages 0 20,000 pages 0 20,000 pages 0 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 to 10.5 kg. 206.3 lb (92.35 kg) ardware Installation Guide, Support flyer, W 1725z+: Same as above plus Telecom cable 1-site warranty Server 2008 (32 and 64-bit), Windows Server erminal Services (Inp.com/go/sap/print); HI ows Server 2008 Rg are system requirements, see microsoft.co ystem compatible hardware system require nulation (Euro symbol built-in); 1 internal U lemory cards; HP LaserJet Fonts and IPDS Eome button (for quick return to the Home nostscript emulation driver & Installer on We	trinet and Gig Links; IPsec (standard); 802.11b/g/n wireless wireless with the control of the co
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁵ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included nvironmental ranges Operating humidity range: Non-operating humidity range: Non-operating humidity range:	Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/unkmodelscripts, hp.com/go/J PC: Windows 8a, Windows 7, Windows Vista, Windo Mac: Mac OS X 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/Internal TrueType fonts scalable in HP PCL, Vista 8 Fonts (Calibri, Cambrial); addit 8.0-in (20.3 cm) color LCD with touchscree Windows Instal 20 to 80% RH	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 1 Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); l CD-ROM; Power cord. M725f, M725z & N One-year or ws XP (SP2+), Windows Server 2003 (SP1+), Windows st operating system support see: Citrix and Windows 1 etdirectunix, software); SAP device types (hp.com lows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2003 (SP1+), windows 1 citrix 1 GB available hard disk space; operating 5 ci internal scalable fonts in HP Postscript level 3 en onal font solutions available wia third-party flash in n; rotating (adjustable angle) display; illuminated Her, HP PCL 6 discrete driver, Mac SW Link to Web, [P	Base-T; 802.3az (EEE) support on Fast Ether g (optional) thase of a hardware accessory 33.6 kbps GB 0 MHz 0,000 pages o 20,000 pages ough, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²) o 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 100 sheets 29.3 x 26.8 x Max: 36.1 x 40. 206.3 lb (92.35 kg) lardware Installation Guide, Support flyer, V 1725z+: Same as above plus Telecom cable -site warranty Server 2008 (32 and 64-bit), Windows Server erminal Services (Inp.com/go/sap/print); HI ows Server 2008 (32 and 64-bit), windows Server are system require ments, see microsoft.co ystem compatible hardware system require nulation (Euro symbol built-in); 1 internal U nemory cards; HP Laser let Fonts and IPDS E ome button (for quick return to the Home n ostscript emulation driver & Installer on We ure emissions bystander (active, printing): ure emissions bystander (ready):	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) Arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix) e Print Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 100 MB available hard dm: ments, CD-ROM/DVD-ROM or Internet, see apple.com incide Fonts (Andale Mono WorldType); 2 Internal Windo mulation available at hp.com/go/laserjetfonts unitation available at hp.com/go/laserjetfonts unitation available at hp.com/go/laserjetfonts senu); Easy Access USB; Hardware Integration Pocket b], Note: No Mac SW inbox 54 dB(A) 36 dB(A)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁴ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Winimum system requirements Fonts and Typefaces Control panel Software included nvironmental ranges Operating humidity range: Non-operating humidity range: Non-operating humidity range Recommended operating hum	Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windou 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junbixmodelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Windou 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junbixmodelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Windous 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junbixmodelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Windows 10.5 internal TrueType fonts scalable in HP PCL, Vista 8 Fonts (Calibri, Cambria); addit 8.0-in (20.3 cm) color LCD with touchscree Windows Instal 20 to 80% RH 21 to 80% RH 22 to 80% RH 23 to 70% RH	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure Optional, enabled with pure 10	Base-T; 802.3az (EEE) support on Fast Ether g (optional) hase of a hardware accessory 33.6 kbps GB D MHz D,000 pages Dugh, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 0 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40. 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, V 1725z+ Same as above plus Telecom cable -isite warranty Server 2008 (32 and 64-bit), Windows Server reminal Services (hp.com/go/upd); Novell (no go/sap/drivers, hp.com/go/sap/print); Hl yow Server 2008, Windows Server 2008 R2 are system requirements, see microsoft.co system compatible hardware systems require unulation (Euro symbol built-in); 1 internal Unemory cards; HP Laser Jet Fonts and IPDS E tome button (for quick return to the Home in ostscript emulation driver & Installer on We ure emissions bystander (active, printing): ure emissions bystander (ready): ype:	triet and Gig Links; IPsec (standard); 802.11b/g/n wirelest and Gig Links; 192.11b/g/n wirelest and Gig Links; 192.11b/g/n wirelest and Gig Links; 192.11b/g/n wirelest and Software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X well.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix) ePrint Mobile Driver (hp.com/go/eprintmobiledriver) windows Server 2012 (64-bit); 200 MB available hard of microst Common
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4)* Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included novironmental ranges Operating humidity range: Non-operating humidity range Recommended operating hum	Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the later hp.com/go/unkmodelscripts, hp.c	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure Optional, enabled with pure 1 80 Up to 200 Up to 5000 t ad, light, plain, preprinted, prepunched, recycled, re Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 1 Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); l CD-ROM; Power cord. M725f, M725z & N One-year or ws XP (SP2+), Windows Server 2003 (SP1+), Windows st operating system support see: Citrix and Windows 1 etdirectunix, software); SAP device types (hp.com lows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2003 (SP1+), windows 1 citrix 1 GB available hard disk space; operating 5 ci internal scalable fonts in HP Postscript level 3 en onal font solutions available wia third-party flash in n; rotating (adjustable angle) display; illuminated Her, HP PCL 6 discrete driver, Mac SW Link to Web, [P	Base-T; 802.3az (EEE) support on Fast Ether g (optional) hase of a hardware accessory 33.6 kbps GB D MHz D,000 pages Dugh, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 0 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40. 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, V 1725z+ Same as above plus Telecom cable -isite warranty Server 2008 (32 and 64-bit), Windows Server reminal Services (hp.com/go/upd); Novell (no go/sap/drivers, hp.com/go/sap/print); Hl yow Server 2008, Windows Server 2008 R2 are system requirements, see microsoft.co system compatible hardware systems require unulation (Euro symbol built-in); 1 internal Unemory cards; HP Laser Jet Fonts and IPDS E tome button (for quick return to the Home in ostscript emulation driver & Installer on We ure emissions bystander (active, printing): ure emissions bystander (ready): ype:	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) Arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard dm: ments, CD-ROM/DVD-ROM or Internet, see apple.com incode Fonts (Andale Mono WorldType); 2 Internal Windomulation available at hp.com/go/laser/etfonts incode Fonts (Andale Mono WorldType); 2 Internal Windomulation available at hp.com/go/laser/etfonts incode Fonts (Andale Mono WorldType); 2 Internal Windomulation available at hp.com/go/laser/etfonts incode Fonts (Andale Mono WorldType); 2 Internal Windomulation available at hp.com/go/laser/etfonts incode Fonts (Andale Mono WorldType); 2 Internal Windomulation available at hp.com/go/laser/etfonts incom/go/laser/etfonts incom/go
Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Duty cycle (monthly, A4) ^s Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included nvironmental ranges Operating humidity range: Roon-perating hum Operating turner ranges Recommended operating turn Operating temperature ranges Recommended operating turner	Not Applicable Paper (color, letterhe Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windon 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junkixmodelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Windon Mac: Mac 05 X 10.6, 05 X Lion, 05 X Mounta 105 internal TrueType fonts scalable in HP PCL, Vista 8 Fonts (Calibri, Cambria); addit 8.0-in (20.3 cm) color LCD with touchscree Windows Instal 20 to 80% RH 2: 10 to 90% RH 2: 10 to 90% RH 3: 50 to 91° F (10 to 32.5° C) perature range: 50 to 91° F (10 to 32.5° C)	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure Optional, enabled with pure 10	Base-T; 802.3az (EEE) support on Fast Ether g (optional) hase of a hardware accessory 33.6 kbps GB D MHz D,000 pages Dugh, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 0 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40. 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, V 1725z+ Same as above plus Telecom cable -isite warranty Server 2008 (32 and 64-bit), Windows Server reminal Services (hp.com/go/upd); Novell (no go/sap/drivers, hp.com/go/sap/print); Hl yow Server 2008, Windows Server 2008 R2 are system requirements, see microsoft.co system compatible hardware systems require unulation (Euro symbol built-in); 1 internal Unemory cards; HP Laser Jet Fonts and IPDS E tome button (for quick return to the Home in ostscript emulation driver & Installer on We ure emissions bystander (active, printing): ure emissions bystander (ready): ype:	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (317 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁴ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included nvironmental ranges Operating humidity range: Non-operating humidity range: Non-operating humidity range: Recommended operating tum Operating temperature range: Recommended operating hum Operating temperature range: Recommended operating hum Operating temperature range: Recommended operating hum Storage temperature range:	Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the later hp.com/go/unkmodelscripts, hp.c	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure Optional, enabled with pure 10	Base-T; 802.3az (EEE) support on Fast Ether g (optional) hase of a hardware accessory 33.6 kbps GB D MHz D,000 pages Dugh, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 0 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40. 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, V 1725z+ Same as above plus Telecom cable -isite warranty Server 2008 (32 and 64-bit), Windows Server reminal Services (hp.com/go/upd); Novell (no go/sap/drivers, hp.com/go/sap/print); Hl yow Server 2008, Windows Server 2008 R2 are system requirements, see microsoft.co system compatible hardware systems require unulation (Euro symbol built-in); 1 internal Unemory cards; HP Laser Jet Fonts and IPDS E tome button (for quick return to the Home in ostscript emulation driver & Installer on We ure emissions bystander (active, printing): ure emissions bystander (ready): ype:	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) // Arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/Iprint); Linux (hplip.net); UNIX (hp.com/go/unix) 2008 P2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/Iprint); Linux (hplip.net); UNIX (hp.com/go/unix) 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/Iprint); Linux (hplip.net); UNIX (hp.com/go/unix) Windows Server 2012 (64-bit); 200 MB available hard of microst (Andale Mono WorldType); 2 Internal Windo mulation available at hp.com/go/laserjetfonts ienu); Easy Access USB; Hardware Integration Pocket b), Note: No Mac SW inbox 54 dB(A) Built-in power supply 110-volt input voltage: (Option #BGJ, #201) 110 to 127 VAC (+/- 10%), 2026 to 24 (+/- 2 4/-); 220-volt 10/560 Hz (+/- 104, 2) 2/20 to 24 (+/- 2 4/-); 200-volt, 50/60 Hz (+/ 104, 5), 50/
Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Duty cycle (monthly, A4) ^s Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a Warranty features Compatible operating systems Minimum system equirements Fonts and Typefaces Control panel Software included Invironmental ranges Operating humidity range: Non-operating humidity range: Recommended operating hum Operating temperature range: Recommended operating tem Storage temperature range: Recommended operating tem Storage temperature range: Storage temperature range: Coustic ¹⁰	Not Applicable Paper (color, letterhe Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the later hp.com/go/unkmodelscripts, hp.com/	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure Optional, enabled with pure 10	Base-T; 802.3az (EEE) support on Fast Ether g (optional) hase of a hardware accessory 33.6 kbps GB D MHz D,000 pages Dugh, tough paper), bond, cardstock, envelo Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 0 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40. 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, V 1725z+ Same as above plus Telecom cable -isite warranty Server 2008 (32 and 64-bit), Windows Server reminal Services (hp.com/go/upd); Novell (no go/sap/drivers, hp.com/go/sap/print); Hl yow Server 2008, Windows Server 2008 R2 are system requirements, see microsoft.co system compatible hardware systems require unulation (Euro symbol built-in); 1 internal Unemory cards; HP Laser Jet Fonts and IPDS E tome button (for quick return to the Home in ostscript emulation driver & Installer on We ure emissions bystander (active, printing): ure emissions bystander (ready): ype:	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) Arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/Iprint); Linux (hplip.net); UNIX (hp.com/go/unix ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard d m: ments, CD-ROM/DVD-ROM or Internet, see apple.com iicode Fonts (Andale Mono WorldType); 2 Internal Windo mulation available at hp.com/go/laserjetfonts ienul); Easy Access USB; Hardware Integration Pocket b), Note: No Mac SW inbox 34 dB(A) Built-in power supply 110-volt input voltage: (Option #BGJ, #201) 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltz (Option #AAC) 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- (Not dual voltage, power supply varies by part number
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁶ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included nvironmental ranges Operating humidity range: Non-operating humidity range Recommended operating hum Operating temperature range: Recommended operating tem Storage temperature range: Coustic' ¹⁹ Acoustic power emissions:	Not Applicable Paper (color, letterhe Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 988 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junkixmdelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Windo Mac: Mac 05 X 10.6, 05 X Lion, 05 X Mountain 105 internal TrueType fonts scalable in HP PCL, 9 Vista 8 Fonts (Calibri, Cambria); addit 8.0-in (20.3 cm) color LCD with touchscree Windows Instal 20 to 80% RH 21 to 10 to 90% RH 22 to 10 90% RH 23 to 10 90 91° F (10 to 32.5° C) 32 to 140° F (0 to 60° C) 6.8 B(A)	r (standard) supports: 10Base-T, 100Base-Tx, 100C networki Optional, enabled with pure Optional, enabled with pure 11 80 Up to 200 Up to 5000 t Up to 5000 t Tray 1: 16 to 53 tb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 t Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 b (87.1 kg) HP Black Laser Jet Toner Cartridge (10,000 pages); t (CD-RON; Power cord. M725f, M725x & M One-year or ws XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows 7 to operating system support see: Citrix and Windows 1 to operating system support see: Citrix and Windows 1 to operating system compatible hardw in Lion; 1 G8 available hard disk space; operating system compatible hardw in Lion; 1 G8 available hard disk space; operating so internal scalable fonts in HP Postscript level 3 en onal font solutions available via third-party flash in; rotating fadjustable angle) display; illuminated Her, HP PCL 6 discrete driver, Mac SW Link to Web, [P Acoustic press Power' Power supply in Power	Base-T; 802.3az (EEE) support on Fast Ether (19 (optional)) hase of a hardware accessory 33.6 kbps GB D MHz D,000 pages D MHz Max: 36.1 x 40. D MHz D MHz D MHz Max: 36.1 x 40. D MHz D MHz D MHz MHZ D MHZ	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4)* Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included nvironmental ranges Operating humidity range: Non-operating humidity range: Recommended operating hum Operating temperature range: Recommended operating tem Storage temperature range: Coustic**	Not Applicable Paper (color, letterhe Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/unixmodelscripts, hp.com/go// PC: Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/unixmodelscripts, hp.com/go// PC: Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/unixmodelscripts, hp.com/go// PC: Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain 10.5 internal TrueType fonts scalable in HP PCL, 5 Vista 8 Fonts (Calibri, Cambria); addit 8.0-in (20.3 cm) color LCD with touchscree Windows Instal 20 to 80% RH 21 to 90% RH 22 to 10 90% RH 23 to 140° F (10 to 32.5° C) 32 to 140° F (10 to 32.5° C) 32 to 140° F (0 to 60° C) 4.8 B(A) 7.1 B(A)	r (standard) supports: 10Base-T, 100Base-Tx, 100C networkik Optional, enabled with pure Optional, enabled with pure 10	Base-T; 802.3az (EEE) support on Fast Ether (19 (optional)) hase of a hardware accessory 33.6 kbps GB D MHz D,000 pages D MHz Max: 36.1 x 40. D MHz D MHz D MHz Max: 36.1 x 40. D MHz D MHz D MHz MHZ D MHZ	pe, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); 5 x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) Arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/lprint); Linux (inplip.net); UNIX (inp.com/go/unix, ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard dimit of the comic of the c

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ Actual speed depending on the system configuration, software application, driver and document complexity. ³ Actual speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on scan resolution, network conditions, computer performance and application of where, and document complexity. ⁵ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. ⁵ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information. ⁵ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 40 ppm.






















ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., $registered\ in\ the\ U.S.\ and\ other\ countries.\ Linux\ is\ a\ U.S.\ registered\ trademark\ of\ Linus\ Torvalds.$

